

Work Order ID 68071

Wednesday, April 06, 2011 9:16:07 AM

Page 1

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 4/6/2011 Start Qty: 1.00

Cust Item ID:

Required Date: 6/3/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: CL Date: 11/04/08 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2273	D
D350-604-041	A
DSI9470	A

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

5/6/08CL 11-6-20

110

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 13812
Description: D350-604-041 Rear locker extender.
Supplier: Delastek.
Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B 117014CL 11/04/08
28 11-04-6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 68071

Page 2

Wednesday, April 06, 2011 9:16:07 AM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 4/6/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/3/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120



Packaging

Receive & Inspect for Damage & Mat'l Certs
Packaging

0.00

Memo

0.00

Packaging

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

130



QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

Check hole locations to template. DT 8824 Check process sheet and audit.

140



Packaging

Packaging

Pick Kit

0.00

Memo

0.00

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 68071

Page 3

Wednesday, April 06, 2011 9:16:07 AM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 4/6/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/3/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

8 u/6/21

160

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D350-604-041

Location: _____

PPP Rev: _____

S

P u/8/21 @

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

u/6/21 J

MF

11-06-21

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Wednesday, April 06, 2011 9:16:03 AM

1. **Section 1: Introduction**
 2. **Section 2: Literature Review**
 3. **Section 3: Methodology**
 4. **Section 4: Results**
 5. **Section 5: Discussion**
 6. **Section 6: Conclusion**
 7. **Section 7: References**
 8. **Section 8: Appendix**
 9. **Section 9: Acknowledgments**
 10. **Section 10: Bibliography**
 11. **Section 11: Glossary**
 12. **Section 12: Index**
 13. **Section 13: Summary**
 14. **Section 14: Abstract**
 15. **Section 15: Introduction**
 16. **Section 16: Literature Review**
 17. **Section 17: Methodology**
 18. **Section 18: Results**
 19. **Section 19: Discussion**
 20. **Section 20: Conclusion**
 21. **Section 21: References**
 22. **Section 22: Appendix**
 23. **Section 23: Acknowledgments**
 24. **Section 24: Bibliography**
 25. **Section 25: Glossary**
 26. **Section 26: Index**
 27. **Section 27: Summary**
 28. **Section 28: Abstract**
 29. **Section 29: Introduction**
 30. **Section 30: Literature Review**
 31. **Section 31: Methodology**
 32. **Section 32: Results**
 33. **Section 33: Discussion**
 34. **Section 34: Conclusion**
 35. **Section 35: References**
 36. **Section 36: Appendix**
 37. **Section 37: Acknowledgments**
 38. **Section 38: Bibliography**
 39. **Section 39: Glossary**
 40. **Section 40: Index**
 41. **Section 41: Summary**
 42. **Section 42: Abstract**
 43. **Section 43: Introduction**
 44. **Section 44: Literature Review**
 45. **Section 45: Methodology**
 46. **Section 46: Results**
 47. **Section 47: Discussion**
 48. **Section 48: Conclusion**
 49. **Section 49: References**
 50. **Section 50: Appendix**
 51. **Section 51: Acknowledgments**
 52. **Section 52: Bibliography**
 53. **Section 53: Glossary**
 54. **Section 54: Index**
 55. **Section 55: Summary**
 56. **Section 56: Abstract**
 57. **Section 57: Introduction**
 58. **Section 58: Literature Review**
 59. **Section 59: Methodology**
 60. **Section 60: Results**
 61. **Section 61: Discussion**
 62. **Section 62: Conclusion**
 63. **Section 63: References**
 64. **Section 64: Appendix**
 65. **Section 65: Acknowledgments**
 66. **Section 66: Bibliography**
 67. **Section 67: Glossary**
 68. **Section 68: Index**
 69. **Section 69: Summary**
 70. **Section 70: Abstract**
 71. **Section 71: Introduction**
 72. **Section 72: Literature Review**
 73. **Section 73: Methodology**
 74. **Section 74: Results**
 75. **Section 75: Discussion**
 76. **Section 76: Conclusion**
 77. **Section 77: References**
 78. **Section 78: Appendix**
 79. **Section 79: Acknowledgments**
 80. **Section 80: Bibliography**
 81. **Section 81: Glossary**
 82. **Section 82: Index**
 83. **Section 83: Summary**
 84. **Section 84: Abstract**
 85. **Section 85: Introduction**
 86. **Section 86: Literature Review**
 87. **Section 87: Methodology**
 88. **Section 88: Results**
 89. **Section 89: Discussion**
 90. **Section 90: Conclusion**
 91. **Section 91: References**
 92. **Section 92: Appendix**
 93. **Section 93: Acknowledgments**
 94. **Section 94: Bibliography**
 95. **Section 95: Glossary**
 96. **Section 96: Index**
 97. **Section 97: Summary**
 98. **Section 98: Abstract**
 99. **Section 99: Introduction**
 100. **Section 100: Literature Review**
 101. **Section 101: Methodology**
 102. **Section 102: Results**
 103. **Section 103: Discussion**
 104. **Section 104: Conclusion**
 105. **Section 105: References**
 106. **Section 106: Appendix**
 107. **Section 107: Acknowledgments**
 108. **Section 108: Bibliography**
 109. **Section 109: Glossary**
 110. **Section 110: Index**
 111. **Section 111: Summary**
 112. **Section 112: Abstract**
 113. **Section 113: Introduction**
 114. **Section 114: Literature Review**
 115. **Section 115: Methodology**
 116. **Section 116: Results**
 117. **Section 117: Discussion**
 118. **Section 118: Conclusion**
 119. **Section 119: References**
 120. **Section 120: Appendix**
 121. **Section 121: Acknowledgments**
 122. **Section 122: Bibliography**
 123. **Section 123: Glossary**
 124. **Section 124: Index**
 125. **Section 125: Summary**
 126. **Section 126: Abstract**
 127. **Section 127: Introduction**
 128. **Section 128: Literature Review**
 129. **Section 129: Methodology**
 130. **Section 130: Results**
 131. **Section 131: Discussion**
 132. **Section 132: Conclusion**
 133. **Section 133: References**
 134. **Section 134: Appendix**
 135. **Section 135: Acknowledgments**
 136. **Section 136: Bibliography**
 137. **Section 137: Glossary**
 138. **Section 138: Index**
 139. **Section 139: Summary**
 140. **Section 140: Abstract**
 141. **Section 141: Introduction**
 142. **Section 142: Literature Review**
 143. **Section 143: Methodology**
 144. **Section 144: Results**
 145. **Section 145: Discussion**
 146. **Section 146: Conclusion**
 147. **Section 147: References**
 148. **Section 148: Appendix**
 149. **Section 149: Acknowledgments**
 150. **Section 150: Bibliography**
 151. **Section 151: Glossary**
 152. **Section 152: Index**
 153. **Section 153: Summary**
 154. **Section 154: Abstract**
 155. **Section 155: Introduction**
 156. **Section 156: Literature Review**
 157. **Section 157: Methodology**
 158. **Section 158: Results**
 159. **Section 159: Discussion**
 160. **Section 160: Conclusion**
 161. **Section 161: References**
 162. **Section 162: Appendix**
 163. **Section 163: Acknowledgments**
 164. **Section 164: Bibliography**
 165. **Section 165: Glossary**
 166. **Section 166: Index**
 167. **Section 167: Summary**
 168. **Section 168: Abstract**
 169. **Section 169: Introduction**
 170. **Section 170: Literature Review**
 171. **Section 171: Methodology**
 172. **Section 172: Results**
 173. **Section 173: Discussion**
 174. **Section 174: Conclusion**
 175. **Section 175: References**
 176. **Section 176: Appendix**
 177. **Section 177: Acknowledgments**
 178. **Section 178: Bibliography**
 179. **Section 179: Glossary**
 180. **Section 180: Index**
 181. **Section 181: Summary**
 182. **Section 182: Abstract**
 183. **Section 183: Introduction**
 184. **Section 184: Literature Review**
 185. **Section 185: Methodology**
 186. **Section 186: Results**
 187. **Section 187: Discussion**
 188. **Section 188: Conclusion**
 189. **Section 189: References**
 190. **Section 190: Appendix**
 191. **Section 191: Acknowledgments**
 192. **Section 192: Bibliography**

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

[illegible][illegible]

[REDACTED]

[REDACTED]

20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	JB	DRAWN BY	JP	DART AEROSPACE LTD	REV. D
				HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	APPROVED	JP	DRAWING NO. D2273	SHEET 1 OF 1
DATE	02.04.01	TITLE	350 REAR LOCKER EXTENDER	SCALE	NTS
B	96.05.27	RE-DRAWN			
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING			
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH			

RELEASED
02.04.03




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 108071

CY 11104104

NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO $\phi 0.257$ (4 PLACES).
- 4) MATERIALS:
RESIN: DERAKANE 470-36/411/510A40
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:
101-WHITE GLOSS GELCOAT # GEL 944W005.
102-9oz ALL OVER.
103-18oz ALL OVER.
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.
105-9oz ALL OVER.
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN BW	DRAWN BY UP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
A1	# RF 02.04.23	ADD D2728-1 DECAL & ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED
02.04.03



D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-604 REV. B

REF TCCA STC: SH90-4
REF FAA STC: SR00463NY

PURPOSE:

The 2600-4 Camloc Studs may be too short for some installations.

CHANGE:

The qty (4) 2600-4 Camloc Studs are replaced with longer 2600-6 Camloc Studs. It is acceptable to install either 2600-4 or 2600-6 Camloc Studs. The parts list of D350-604 Rev. B is amended as follows:

QTY	PART NUMBER	DESCRIPTION
-041		
X	D350-604-041	REAR CARGO COMPARTMENT EXTENDER ASS'Y

IS:

4	2600-6	CAMLOC STUD
---	--------	-------------

WAS:

4	2600-4	CAMLOC STUD
---	--------	-------------

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 68071

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01


APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 09.07.01

CERT. NO.: SH90-4

ISSUE NO.: 3

A	NEW ISSUE, NCR 09-046	CP	09.07.01
REV.	DESCRIPTION	BY	DATE
DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	97		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	NIA	DSI 9470	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		CAMLOC CHANGE	NTS
DATE	09.07.01	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Delastek inc.
2699 5e avenue
Local 14, Porte -A-
Grand-Mère, Québec G9T 5K7
Can ** Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	38930
Customer #	DART US

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Ship to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Telephone: 613-632-5200

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
Fedex Ground Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
16/06/2011	07/04/2011	17273	Brigitte Goldon		P13812		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line 3 Rear Locker Extender D350-604-041P B68070 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <div><div>No. série</div><div>No. lot</div><div>B68070</div><div>33132</div></div>			
1	0	1	DKC134-0003	Line 4 Rear Locker Extender D350-604-041P B68071 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <div><div>No. série</div><div>No. lot</div><div>B68071</div><div>33655</div></div> <div>Sub 6/21</div>			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:


Quality department





AQ-357

Date: Jeudi, 2011-06-02 12:38:59
Utilisateur: Pascal Carignan

Feuille de Procédé

Client	: DART US DART AEROSPACE LTD	Nom Dessin	: REAR LOCKER EXTENDER
Numéro Job	: 33655	Numéro Article	: DKC134-0003
Numéro Soumission	: 3482	Numéro Dessin	: D350-604-041 & D2273
Numéro B.A.	:	Projet Numéro	: DK-362
Cette fois	: 2011-06-02 No. B.V. :	Révision dessin	: A & D
Prsht Rev.	: NC	Matériel	: Derakane 470-36/411/510
Prem. fois	:  Type :	Date Dûe	: 2011-06-09 Qté: 1 UdM: UNITE
Job précédente	: 33227		

Écrit par : 
Vérifié & Approuvé par : 
Commentaires : N° de pièce Laminée Dart Aerospace: D2273
N° de pièce Assemblage Dart Aerospace: D350-604-041

Process Sheet Rév.: 03 Modifier la seq. 6 Prep-general.

Produit additionnel

Numéro Job:





Séq.: Machine ou Opération: Description :

1.0 PRÉPARATION Préparation du moule



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire la préparation du moule DKO-0250 selon IG 0009.

Date:  Sceau: 

2.0 AMB0350 Gel Coat Blanc N° Gel 944W005

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005

N° de Lot: 1-31135-1

3.0 AMB0286 Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot: 1-27829-1

4.0 AC0747 Acetone

Commentair Qty.: 0.200 KII OGRAMMF(s)/Unit Total : 0.200 KILOGRAMME(s)

5.0 PREP-GENERAL Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Date:  Sceau: 

Date: Jeudi, 2011-06-02 12:38:59
Matériau: Pascal Carignan

Feuille de Procédé

Cliant: DART US DART AEROSPACE LTD
Numéro Job: 33655

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

6.0	PRÉP-GENERAL	Préparation du matériel
-----	--------------	-------------------------



Commentaire Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du Gel coat selon IF134-0003.

Date: 8/06/11 Sceau:



7.0	GEL COAT	Application du Gel Coat
-----	----------	-------------------------



Commentaire Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Appliquer le gel coat selon IF 134-0003(réf. IG0019).

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Quantité: 1 Date: 8/06/11 Sceau:



8.0	AMB0212	Résine (411B7530) 411-350 promo. 75min.
-----	---------	---

Commentaire Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot: 1-31015-1

9.0	AMB0286	Catalyst N° DDM-9
-----	---------	-------------------

Commentaire Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot: 1-27829-1

10.0	AMB0214	9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish
------	---------	---

Commentaire Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot: 1-31000-2

11.0	AMB0213	WR1850 Roving 18oz. x 50"
------	---------	---------------------------

Commentaire Qty.: 1.140 KILOGRAMME(s)/Unit Total : 1.140 KILOGRAMME(s)

WR1850 Roving 18oz. x 50"

N° de Lot: 1-28778-1

12.0	LAMINAGE	Faire le laminage
------	----------	-------------------



Commentaire Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité: 44% Température: 79°F Heure: —

Quantité: 1 Date: 9/06/11 Sceau:



Date: Jeudi, 2011-06-02 12:38:59
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 33655

Numéro Article: DKC134-0003

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
13.0	AMB0212	Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 LITRE(s)/Unit Total : 0.150 LITRE(s)
Résine (411B7530) 411-350 promo. 75min N° de Lot: _____

14.0	AMB0286	Catalyst N° DDM-9
------	---------	-------------------

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)
Catalyst N° DDM-9 N° de Lot: _____

15.0	FINITION	Finition Générale
------	----------	-------------------



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Injecter les bulles d'air selon IF134-0003 si applicable.

Quantité: _____ Date: _____ Sceau: _____

16.0	DÉMOULAGE	Démoulage de la pièce
------	-----------	-----------------------



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire le démoulage de la pièce selon IF134-0003 en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager .

Quantité: 1 Date: 10-6-11 Sceau: _____



17.0	TRIMAGE	Trimage
------	---------	---------



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1 Date: 13/06/11 Sceau: _____



18.0	AAC1021	Dupont Primer N° 7704S
------	---------	------------------------

Commentair Qty.: 0.3400 UNITE(s)/Unit Total : 0.3400 UNITE(s)
Dupont Primer N° 7704S N° de Lot: 1-28961-2

19.0	AAC1101	N° 7775S, Dupont Activator - Reducer Chromabase
------	---------	---

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)
N° 7775S, Dupont Activator - Reducer Chromabase N° de Lot: 1-29932-3

Date: Jeudi, 2011-06-02 12:38:59
Intéprète: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 33655

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:




# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

20.0	PRIMER	Application primer
------	--------	--------------------



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1 Date: 14/06/11 Sceau:  N° fiche de Mélange: N/A

21.0	AAC1607	Camlock Stud 2600-4 (or Monadnock 1126000-4)
------	---------	--

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)
Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-30876-1

22.0	AAC0682	Washer 2600-LW (1127700)
------	---------	--------------------------

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)
Washer 2600-LW (1127700)

N° de Lot: 1-6687-1

23.0	ASSEMBLAGE	Assemblage mécanique
------	------------	----------------------



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire l'assemblage selon IF134-0004.

Démasquer la pièce.

Assembler les "Studs" selon IG 0037.

Quantité: 1 Date: 14/06/11 Sceau: 

24.0	IDENTIFICATION	Identification à encre indélébile
------	----------------	-----------------------------------




Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'identification de la pièce selon IF134-0005.

N° de pièce Cleint: D350-604-041

N° de Job: 33655

N° de Fabrication: 15-6-11

Quantité: 1 Date: 15-6-11 Sceau: 

25.0	INSPEC FINAL	Inspection finale
------	--------------	-------------------



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Date: Jeudi, 2011-06-02 12:38:59
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 33655

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

Quantité: 1

Date: 15 JUIN 11

Sceau:



26.0

EMBALLAGE

Emballage & Entreposage



Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: 1

Date: 15 juin 11

Sceau:



fab. 15 juin 11
Job 33655